

Cor pulmonale

COR PULMONALE

Image not found

Active Image <https://www.medics4medics.com/%3A//resize/corpulmonale-297x148.gif>

1. Definitie

- chronisch lijden van rechter ventrikel door decompensatie, dilatatie of hypertrofie.
- oorzaken: chronische pulmonale hypertensie tgv longziekten (emfyseem, fibrose, silicose of recidiverende embolen), thoraxmisvorming (kyfoscoliose, pectus excavatum), ziekten van de longvaten, chronische inspiratoire obstructie (vb tonsilhypertrofie)

2. Oorzaken

rechter ventrikelfalen

- rechter ventrikel dilatatie of hypertrofie

- oorzaken pulmonale hypertensie

- cardiovasculair:

- linker ventrikel falen (mitralisstenose, collageen vaatziekten)

- links-rechts shunt (congenitale hartafwijkingen)

- bloed:

- chronische hypoxie (veroorzaakt stijging van de vaatweerstand)

tgV van COPD, chronische aanwezigheid op grote hoogte, slaapapnee, ernstige anemie.

- verhoogde viscositeit van het bloed (leukemie, polycytemia vera)

- longen:

- primaire pulmonale hypertensie

- verhoogde intrathoracale druk (COPD, mechanische ventilatie- peep, thoraxmisvorming-kyfoscoliose, obesitas, cystische fibrose)

- pulmonale venoöclusieve ziekte

- longembolen

3. Diagnostiek

-anamnese

- verhaal van progressieve dyspnee (hoest, heesheid), gewichtstoename, zwakte (vermoeidheid, syncope), perifere oedemen.

- vraag steeds na:gebruikte medicatie en MVG

- kliniek

- ademhaling (dyspnee, hoest, hempotysis, wheezing, heesheid)

- gastroenterologisch (gewichtstoename, ascites, hepatomegalie)

- beeld van overload (opzetting halsvenen, perifere oedemen)

- pulse oximetrie

- labo

- bloedgasen (PO₂ in rust 40-60 mm Hg, PCO₂ in rust 40-70 mm Hg)
- Hb en hematocriet
- B-natriuretisch peptide (DD biventriculair lijden of respiratoir lijden)

-Electrocardiogram

- asdeviatie naar rechts (door rechter ventrikel hypertrofie)
- P-toppen zijn groot en gepiekt
- T afvlakking thv rechter precordialen
- ST depressie thv II, III en aVf

- beeldvorming

- RX-thorax: tekenen van pulmonale hypertensie (grote pulmonale arteries > 16- 18 mm, vergroot silhouet rechter ventrikel), zijn er longeffusies?
- Echocardio: rechter ventrikel (dilatatie en hypertrofie), linker ventrikel (normaal), meting met doppler (meten tricuspidalis regurgitatie, druk arteria pulmonalis, rechter ventrikel ejectiefractie)
- ventilatie/perfusiescan
- CT of MRI: grootte van de ventrikels en pulmonale arteriën, opsporen van longembolen

- hartcatheterisatie

- rechter hart: geeft goede drukmetingen

4. DD

- primair linker hartlijden
- congenitale hartafwijkingen
- hypothyroidie
- cirrhose

Eerste opvang

- ABC
- O₂ geven tot 90% saturatie
- IV-lijn
- monitoring (hart, bloeddruk, pulse oxymetrie)
- indien bronchospasmen: aerosol
- voorkom hypotensie, dus ten velden geen vasodilatoren, geen cedocard en geen diuretica

- soms is intubatie vereist

Spoeddienst

- Zuurstof: streef naar 90% saturatie

- betere oxygenatie geeft minder pulmonale vasoconstrictie en dus een verbeterde cardiac output
- cave CO₂-retentie: geregeld pCO₂ controleren. Te hoge pCO₂ geeft ademhalingsdepressie en geeft ook acidose.

- bronchodilatatie: beta-2-mimetica

- aerosols Ventolin
- Theophylline (Euphillin) 1 amp IV. Max dagdosis is 900 mg/dag

- Diuretica: Lasix

- Bij acute COPD decompensatie: vroegtijdig steroidtherapie, antibiotica

- restrictie: vocht, zout

REFERENTIES:

- MacNee W. Pathophysiology of cor pulmonale in chronic obstructive pulmonary disease. Part One. Am J Respir Crit Care Med 1994; 150:833.
- Budev MM, Arroliga AC, Wiedemann HP, Matthay RA. Cor pulmonale: an overview. Semin Respir Crit Care Med 2003; 24:233.
- MacNee W. Pathophysiology of cor pulmonale in chronic obstructive pulmonary disease. Part two. Am J Respir Crit Care Med 1994; 150:1158.
- Simonneau G, Gatzoulis MA, Adatia I, et al. Updated clinical classification of pulmonary hypertension. J Am Coll Cardiol 2013; 62:D34.
- Naeije R. Pulmonary hypertension and right heart failure in chronic obstructive pulmonary disease. Proc Am Thorac Soc 2005; 2:20.
- McLaughlin VV, Archer SL, Badesch DB, et al. ACCF/AHA 2009 expert consensus document on pulmonary hypertension: a report of the American College of Cardiology Foundation Task Force on Expert Consensus Documents and the American Heart Association: developed in collaboration with the American College of Chest Physicians, American Thoracic Society, Inc., and the Pulmonary Hypertension Association. Circulation 2009; 119:2250.
- Bradley TD, Rutherford R, Grossman RF, et al. Role of daytime hypoxemia in the pathogenesis of right heart failure in the obstructive sleep apnea syndrome. Am Rev Respir Dis 1985; 131:835.
- Yildiz OA, Onen ZP, Sen E, et al. Predictors of long-term survival in patients with chronic obstructive pulmonary disease. Saudi Med J 2006; 27:1866.
- Song JW, Song JK, Kim DS. Echocardiography and brain natriuretic peptide as prognostic indicators in idiopathic pulmonary fibrosis. Respir Med 2009; 103:180.
- Baudouin SV. Oedema and cor pulmonale revisited. Thorax 1997; 52:401.
- Morrison DA, Klein C, Welsh CH. Relief of right ventricular angina and increased exercise capacity

with long-term oxygen therapy. *Chest* 1991; 100:534.

- Mesquita SM, Castro CR, Ikari NM, et al. Likelihood of left main coronary artery compression based on pulmonary trunk diameter in patients with pulmonary hypertension. *Am J Med* 2004; 116:369.
- Han MK, McLaughlin VV, Criner GJ, Martinez FJ. Pulmonary diseases and the heart. *Circulation* 2007; 116:2992.
- Watz H, Waschki B, Meyer T, et al. Decreasing cardiac chamber sizes and associated heart dysfunction in COPD: role of hyperinflation. *Chest* 2010; 138:32.
- Incalzi RA, Fuso L, De Rosa M, et al. Electrocardiographic signs of chronic cor pulmonale: A negative prognostic finding in chronic obstructive pulmonary disease. *Circulation* 1999; 99:1600.
- CAIRD FI, STANFIELD CA. The electrocardiogram in asphyxial and in embolic acute cor pulmonale. *Br Heart J* 1962; 24:313.
- Burrows B, Kettel LJ, Niden AH, et al. Patterns of cardiovascular dysfunction in chronic obstructive lung disease. *N Engl J Med* 1972; 286:912.
- Benza R, Biederman R, Murali S, Gupta H. Role of cardiac magnetic resonance imaging in the management of patients with pulmonary arterial hypertension. *J Am Coll Cardiol* 2008; 52:1683.
- Continuous or nocturnal oxygen therapy in hypoxemic chronic obstructive lung disease: a clinical trial. Nocturnal Oxygen Therapy Trial Group. *Ann Intern Med* 1980; 93:391.
- Long term domiciliary oxygen therapy in chronic hypoxic cor pulmonale complicating chronic bronchitis and emphysema. Report of the Medical Research Council Working Party. *Lancet* 1981; 1:681.
- Timms RM, Khaja FU, Williams GW. Hemodynamic response to oxygen therapy in chronic obstructive pulmonary disease. *Ann Intern Med* 1985; 102:29.
- Weitzenblum E, Sautegeau A, Ehrhart M, et al. Long-term oxygen therapy can reverse the progression of pulmonary hypertension in patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1985; 131:493.
- Sliwiński P, Hawrylkiewicz I, Górecka D, Zieliński J. Acute effect of oxygen on pulmonary arterial pressure does not predict survival on long-term oxygen therapy in patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1992; 146:665.
- Selinger SR, Kennedy TP, Buescher P, et al. Effects of removing oxygen from patients with chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1987; 136:85.
- Hoeper MM, Andreas S, Bastian A, et al. Pulmonary hypertension due to chronic lung disease: updated Recommendations of the Cologne Consensus Conference 2011. *Int J Cardiol* 2011; 154 Suppl 1:S45.
- Poli S, Rumboldt Z, Duji Z, et al. Role of digoxin in right ventricular failure due to chronic cor pulmonale. *Int J Clin Pharmacol Res* 1990; 10:153.
- Mathur PN, Powles P, Pugsley SO, et al. Effect of digoxin on right ventricular function in severe chronic airflow obstruction. A controlled clinical trial. *Ann Intern Med* 1981; 95:283.
- Lee-Chiong TL, Matthay RA.. The heart in the stable COPD patient.. In: Clinical management of chronic obstructive pulmonary disease., Similowski T, Whitelaw WA, Derenne JP. (Eds), Marcel Dekker, Inc., New York 2002. p.475.
- Lahm T, McCaslin CA, Wozniak TC, et al. Medical and surgical treatment of acute right ventricular failure. *J Am Coll Cardiol* 2010; 56:1435.
- Vizza CD, Rocca GD, Roma AD, et al. Acute hemodynamic effects of inhaled nitric oxide, dobutamine and a combination of the two in patients with mild to moderate secondary pulmonary hypertension. *Crit Care* 2001; 5:355.
- Bradford KK, Deb B, Pearl RG. Combination therapy with inhaled nitric oxide and intravenous dobutamine during pulmonary hypertension in the rabbit. *J Cardiovasc Pharmacol* 2000; 36:146.
- Khazin V, Kaufman Y, Zabeeda D, et al. Milrinone and nitric oxide: combined effect on pulmonary artery pressures after cardiopulmonary bypass in children. *J Cardiothorac Vasc Anesth* 2004; 18:156.
- Campo A, Mathai SC, Le Pavec J, et al. Outcomes of hospitalisation for right heart failure in pulmonary arterial hypertension. *Eur Respir J* 2011; 38:359.

Voeg een nieuwe reactie toe

[Login](#) [1] of [registreer](#) [2] om te kunnen reageren

Bron-URL: <https://www.medics4medics.com/nl/cor-pulmonale>

Links

[1] <https://www.medics4medics.com/nl/user/login?destination=node/%23comment-form>

[2] <https://www.medics4medics.com/nl/user/register?destination=node/%23comment-form>